



# Certificate of Analysis for

Club 13 Enterprises  
8165 State Rd 207  
Hastings, FL 32145  
Phone: (877) 922-5783



Received: 2/13/2026 @ 15.5 °C

Club13 Kavamosa Berry Bliss Lot: BB-003

Sample ID: 2602768-001

### ACR.1a: AC by mass via AOAC 2015.13 (Petrifilm™) Analyzed 02/13/26

Aerobic Plate Count	< 10	CFU/g
---------------------	------	-------

### CCR.1a: CC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 02/13/26

Total Coliform Bacteria	< 10	CFU/g
-------------------------	------	-------

### ECR.1a: EC by mass via AOAC OM 2018.13 (Petrifilm™) Analyzed 02/13/26

Escherichia coli	< 10	CFU/g
------------------	------	-------

### ICPMS.1: Metals via AOAC 2015.01 Modified (ICP/MS) Analyzed 02/18/26

Arsenic (As)	< 0.0200	mg/kg (ppm)	Cadmium (Cd)	< 0.0100	mg/kg (ppm)
Lead (Pb)	< 0.00500	mg/kg (ppm)	Mercury (Hg)	< 0.00500	mg/kg (ppm)

### Kava.1: USP - Content of Kavalactones by HPLC Analyzed 02/20/26

Desmethoxyyangonin	8.08	mg/355 mL	Dihydrokawain	36.0	mg/355 mL
Dihydromethysticin	21.5	mg/355 mL	Kawain	19.3	mg/355 mL
Methysticin	17.0	mg/355 mL	Total Kavalactones	115	mg/355 mL
Yangonin	13.0	mg/355 mL			

### Salm.1: Salmonella via AOAC 081201, 2013.02 (BAX® PCR) Analyzed 02/17/26

Salmonella spp.	Negative	/25 g
-----------------	----------	-------

### STA.1a: S. aureus by mass via AOAC 2003.07, 2003.08, 2003.11 (Petrifilm™) Analyzed 02/13/26

Staphylococcus aureus	< 10	CFU/g
-----------------------	------	-------

### STEC.1: E. coli (O157:H7, O26, O45, O103, O111, O121, O145) via AOAC 091301 (BAX® PCR, STEC Screen) Analyzed 02/17/26

Shiga toxin-producing E. coli (stx-eae)	Negative	/25 g
---	----------	-------

### YM.1a: YM by mass via AOAC RI 121301 (Petrifilm™) Analyzed 02/13/26

Yeast and Mold	20	CFU/g
----------------	----	-------

Reported By Jake S Hedges, Chemistry Laboratory Supervisor, 2/23/2026